



Docket No.: 98-0874

Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

EL025201184US

Theodore David Wugofski

Entitled: Electronic Program Guide Utilizing Multiple Tuning Sources

September 30, 1999

To the Assistant Commissioner
for Patents
Box Patent Application
Washington, D.C. 20231

<p>CERTIFICATE OF MAILING BY EXPRESS MAIL</p> <p>"EXPRESS MAIL" Mailing Label No. EL 025 201 184 US</p> <p>Date of Deposit September 30, 1999</p> <p>I hereby certify that this paper or fee is being deposited with the U S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1 10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C 20231</p> <p>Kenneth J. Cool</p> <p><i>Kenneth J. Cool</i></p> <p>Signature</p>	<p>511 U.S. PTO</p> <p>09/30/99</p> <p>09/30/99</p>
--	---

Dear Sir:

REQUEST FOR FILING A NATIONAL PATENT APPLICATION

Transmitted herewith for filing, please find the following:

- ☒ 1. Specification, claims and abstract of the above-referenced patent application having 19 pages.
- ☒ 2. 4 sheet(s) of drawing(s) (☒ formal / ☐ informal) comprising Figures 1 through 4.
- ☒ 3. Declaration and Power of Attorney (☒ signed ☐ unsigned).
- ☐ 3A. No filing fee, Oath, or Declaration is enclosed pursuant to 37 C.F.R 1.53(d).
- ☐ 4. Information Disclosure Statement along with Form PTO-1449 and references.
- ☐ 5. This is a: ☐ Continuation-In-Part; ☐ Divisional; ☐ Continuation; ☐ substitute Application (MPEP 201.09) of Application Serial No. ☐ filed ☐; ☐ reissue of U.S. Patent No. ☐ filed on ☐.

An extension to extend the life of the above prior Application to at least the date of filing hereof

(One box must be marked)

(a) ☐ is concurrently being filed in that prior Application,

040924-093099

- (b) _____ was previously filed in that prior Application,
(c) _____ is not necessary for copendency.

 X 6. Attached is an assignment to **Spotware Technologies, Inc.** Please return the recorded assignment to the undersigned.

_____ 7. Priority is claimed under 35 U.S.C. § 119 based on filing in European Patent Office.

	<u>Application No.</u>	<u>Filing Date</u>
(1)	_____	_____
(2)	_____	_____
(3)	_____	_____

_____ (No.) Certified copy (copies) _____ are attached; or _____ were previously filed on _____.

_____ 8. Attached: _____ (No.) verified statement(s) establishing "small entity" status under 37 CFR § 1.9 and 1.27.

 X 9. Attached:

 X Return Postcard
_____ (Other)

_____ 10. Preliminary Amendment:

Prior to a first Office Action, kindly amend the Application as follows:

11. The following Filing Fee calculation is based on the claims filed less any claims canceled by the Preliminary Amendment of Item 10.

					SMALL ENTITY RATE		LARGE ENTITY RATE		
BASIC FEE					\$380	<u>OR</u>	\$760	=	\$760.00
	NUMBER FILED			NUMBER EXTRA					
TOTAL CLAIMS	<u> 34 </u>	-20	=	<u> 14 </u> (at least 0)	x 9	<u>OR</u>	x 18	=	+\$252.00
INDEP. CLAIMS	<u> 4 </u>	- 3	=	<u> 1 </u> (at least 0)	x 39	<u>OR</u>	x 78	=	+\$78.00
If any <u>proper</u> multiple dependent claim (ignore improper) is present (Enter \$0.00 if this is a <u>reissue</u> application)					+\$130	<u>OR</u>	+\$260	=	+\$ <u> </u>
If assignment is x'd (item 6), add recording fee \$40.00									+\$40.00
Attached is a Rule 47 Petition (inventor refuses to sign or cannot be reached) \$130									+\$ <u> </u>
TOTAL FILING FEE									= \$1130.00


12. A check in the amount of \$ to cover the Filing Fee calculated in Item 11 is attached. Please charge any deficiency or credit any overpayment to Deposit Account No. 50-0439.
- X 13. Please charge my Deposit Account No. 50-0439 in the amount of \$1130.00 to cover the Filing Fee calculated in Item 11. This sheet is attached in duplicate.
- X 14. The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and may be required under 37 CFR 1.16-1.18 (missing or insufficiencies only) now or hereafter relative to this application and for the resulting Official Document under 37 CFR 1.20, and to have and cause any necessary petition for extension of time to be filed and any fees necessary to be paid for said extension of time OR credit any overpayment to our Deposit Account No. 50-0439, for which purpose a duplicate copy of this sheet is attached. **The Commissioner is not authorized to charge the issue fee until/unless an issue fee transmittal form is filed.**

Docket No.: 98-0874

Patent Application

DATED: September 30, 1999

Respectfully submitted,
Theodore David Wugofski

By: 
Kenneth J. Cool
Reg. No. 40,570

Suiter & Associates PC
11516 Nicholas Street, Suite 205
Omaha, NE 68154-4409
Telephone: (402) 496-0300
Facsimile: (402) 496-0333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR PATENT

ON

ELECTRONIC PROGRAM GUIDE UTILIZING MULTIPLE TUNING SOURCES

BY

THEODORE DAVID WUGOFSKI

ELECTRONIC PROGRAM GUIDE UTILIZING MULTIPLE TUNING SOURCES

FIELD OF THE INVENTION

The present invention generally relates to the field of information handling systems, and particularly to an electronic program guide (EPG) for an information handling system.

BACKGROUND OF THE INVENTION

It is often desirable to provide a program guide in an electronic format that provides programming information such as broadcast or cable television programming schedules for regularly scheduled programs and events. The electronic program guide (EPG) may be compiled by a service provider and delivered to the user via electronic transmissions systems. The electronic program guide is then displayable on an information handling system such that the user may view the programming information to decide which programs to watch and at what times to watch them.

One disadvantage of the traditional electronic program guide is that it typically only includes information for tuning devices directly coupled with the information handling system for which the electronic program guide is utilized. For example, an information handling system such as a personal computer and television (PC-TV) convergence device at a first room may be coupled with a cable system for receiving cable television programming signals via a coaxial cable or may be coupled to a satellite dish antenna for receiving satellite television programming signals via a microwave signal transmitted from a satellite. However, a television located in a second room remote from the first room may be coupled to a videocassette recorder (VCR) for displaying information recorded on a videocassette. Further, the VCR may be coupled to a radio frequency (RF) antenna for receiving a television programming signal broadcast over the airwaves. Since the electronic program guide typically provides information about information only regarding tuning devices directly coupled to the PC-TV, the VCR signal is not included as an available tuning device in the electronic program guide.

Furthermore, even if an information handling system in a first room were coupled with a remote tuning source located in a second room, for example, by utilization of a long coaxial cable run between the rooms, the user would be required to manually enter the identity and characteristics of the remote tuning source into the information handling system and the electronic program guide before the information handling system could properly utilize the device.

It would be therefore highly desirable to provide an electronic program guide for an information handling system that is capable of detecting remote tuning devices coupled to the information handling system through a local network, determining information about the tuning devices, and controlling the tuning devices via the network to provide a signal to the information handling system such that the signal is capable of being displayed on a display coupled to the information handling system.

SUMMARY OF THE INVENTION

The present invention is directed to an information handling system for utilizing an electronic program guide, and a device coupled to the information handling system via a network. In one embodiment, the information handling system includes a processor for executing a program of instructions on the information handling system, a memory coupled to the processor for storing a program of instructions executable by the processor, and a program of instructions comprising a program guide storable in the memory and executable by the processor for causing the information handling system to utilize a device coupled to the information handling system via a network such that information encoded in a signal provided by the device may be received by the information handling system.

The present invention is further directed to a method for utilizing a program guide with an information handling system. In one embodiment, the method includes steps for generating program guide data for programming information available from a first device coupled the information handling system, searching for devices coupled to a network to which the information handling system is coupled, or allowing for devices to announce when they are on the network along with their corresponding capabilities, identifying at least one device coupled to the network, determining whether the identified device is capable of being utilized as a program source, and in

the event the identified device is determined to be capable of being utilized as a program source, adding the device to the program guide.

It is to be understood that both the forgoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention as claimed. The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate an embodiment of the invention and together with the general description, serve to explain the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWING

The numerous advantages of the present invention may be better understood by those skilled in the art by reference to the accompanying figures in which:

FIG. 1 is a block diagram of an information handling system operable to embody the present invention;

FIG. 2 is a block diagram of an electronic program guide system in accordance with the present invention;

FIG. 3 is a block diagram of an electronic program guide system configured to couple with a home network in accordance with the present invention; and

FIG. 4 is a flow diagram of a method for utilizing a program guide in conjunction with a home network.

DETAILED DESCRIPTION OF THE INVENTION

Reference will now be made in detail to a presently preferred embodiment of the invention, an example of which is illustrated in the accompanying drawings.

Referring now to FIG. 1, a hardware system in accordance with the present invention is shown. The hardware system shown in FIG. 1 is generally representative of the hardware architecture of an information handling system of the present invention. A central processor 102 controls the information handling system 100. Central processor 102 includes a central processing unit such as a microprocessor or microcontroller for executing programs, performing data manipulations and controlling the tasks of information handling system 100. Communication with central processor 102 is implemented through a system bus 110 for transferring

information among the components of information handling system 100. Bus 110 may include a data channel for facilitating information transfer between storage and other peripheral components of information handling system 100. Bus 110 further provides the set of signals required for communication with central processor 102 including a data bus, address bus, and control bus. Bus 110 may comprise any state of the art bus architecture according to promulgated standards, such as industry standard architecture (ISA), extended industry standard architecture (EISA), Micro Channel Architecture (MCA), peripheral component interconnect (PCI) local bus, standards promulgated by the Institute of Electrical and Electronics Engineers (IEEE) including IEEE 488 general-purpose interface bus (GPIB), IEEE 696/S-100, and so on. Furthermore, bus 110 may be compliant with any promulgated industry standard. For example, bus 110 may be designed in compliance with any of the following bus architectures: Industry Standard Architecture (ISA), Extended Industry Standard Architecture (EISA), Micro Channel Architecture, Peripheral Component Interconnect (PCI), Universal Serial Bus (USB), Access.bus, IEEE P1394 or Fire Wire, Apple Desktop Bus (ADB), Concentration Highway Interface (CHI), Geo Port, or Small Computer Systems Interface (SCSI), as examples.

Other components of information handling system 100 include main memory 104, auxiliary memory 106, and an auxiliary processor 108 as required. Main memory 104 provides storage of instructions and data for programs executing on central processor 102. Main memory 104 is typically a semiconductor based memory, such as dynamic random access memory (DRAM) and or static random access memory (SRAM). Auxiliary memory 106 provides storage of instructions and data that are loaded into the main memory 104 before execution. Auxiliary memory 106 may include semiconductor based memory such as read-only memory (ROM), programmable read-only memory (PROM) erasable programmable read-only memory (EPROM), electrically erasable read-only memory (EEPROM), or flash memory (block oriented memory similar to EEPROM). Auxiliary memory 106 may also include a variety of non-semiconductor based memories, including but not limited to magnetic tape, drum, floppy disk, hard disk, optical, laser disk, compact disc read-only memory (CD-ROM), digital versatile disk read-only memory (DVD-ROM), digital versatile disk random-access memory (DVD-RAM), etc. Other varieties of

memory devices are contemplated as well. Information handling system 100 may optionally include an auxiliary processor 108 which may be a digital signal processor (a special-purpose microprocessor having an architecture suitable for fast execution of signal processing algorithms), a back-end processor (a slave processor subordinate to the main processing system), an additional microprocessor or controller for dual or multiple processor systems, or a coprocessor.

Information handling system 100 further includes a display system 112 for connecting to a display device 114, and an input/output (I/O) system 116 for connecting to one or more I/O devices 118, 120, and up to N number of I/O devices 122. Display system 112 may comprise a video display adapter having all of the components for driving the display device, including video random access memory (VRAM), buffer, and graphics engine as desired. Display device 114 may comprise a cathode ray-tube (CRT) type display such as a monitor or television, or may comprise alternative type of display technologies such as a liquid-crystal display (LCD), a light-emitting diode (LED) display, or a gas or plasma display. Input/output system 116 may comprise one or more controllers or adapters for providing interface functions between one or more of I/O devices 118-122. For example, input/output system 116 may comprise a serial port, parallel port, infrared port, network adapter, printer adapter, radio-frequency (RF) communications adapter, universal asynchronous receiver-transmitter (UART) port, etc., for interfacing between corresponding I/O devices such as a mouse, joystick, trackball, trackpad, trackstick, infrared transducers, printer, modem, RF modem, bar code reader, charge-coupled device (CCD) reader, scanner, compact disc (CD), compact disc read-only memory (CD-ROM), digital versatile disc (DVD), video capture device, touch screen, stylus, electroacoustic transducer, microphone, speaker, etc. Input/output system 116 and I/O devices 118-122 may provide or receive analog or digital signals for communication between information handling system 100 of the present invention and external devices, networks, or information sources. Input/output system 116 and I/O devices 118-122 preferably implement industry promulgated architecture standards, including Recommended Standard 232 (RS-232) promulgated by the Electrical Industries Association, Infrared Data Association (IrDA) standards, Ethernet IEEE 802 standards (e.g., IEEE 802.3 for broadband and baseband networks, IEEE 802.3z for

Gigabit Ethernet, IEEE 802.4 for token passing bus networks, IEEE 802.5 for token ring networks, IEEE 802.6 for metropolitan area networks, 802.11 for wireless networks, and so on), Fibre Channel, digital subscriber line (DSL), asymmetric digital subscriber line (ASDL), frame relay, asynchronous transfer mode (ATM), integrated digital services network (ISDN), personal communications services (PCS), transmission control protocol/Internet protocol (TCP/IP), serial line Internet protocol/point to point protocol (SLIP/PPP), and so on. It should be appreciated that modification or reconfiguration of information handling system 100 of FIG. 1 by one having ordinary skill in the art would not depart from the scope or the spirit of the present invention.

Referring now to FIG. 2, a block diagram of an electronic program guide system in accordance with the present invention will be discussed. The local network 200 may be implemented in a single area or structure such as a home or office having several locations or rooms, including a first location 210 and a second location 212 remote from first location 210. Information handling system 100 may be disposed at first location 210 and be coupled with display 114 for displaying information such as television programming or the like. Information handling system 100 and display 114 may embody a personal computer and television (PC-TV) convergence device. Information handling system 100 may receive an information signal from a satellite television service provider 214 received by a satellite receiver 220 coupled with information handling system 100. Further, information handling system 100 may couple to a worldwide network 216 of information handling systems such as the Internet for receiving an information signal (e.g., multimedia broadcast) via worldwide network 216 and received by a network interface device 222. A videocassette recorder (VCR) 224 coupled with information handling system 100 may receive a cable television signal from a cable television system 218 thereby functioning as a tuning device, and may further provide a signal reproduced from information stored on a videocassette magnetic storage medium. Additional tuning devices or other devices capable of providing a video or audio/video signal may be coupled with information handling system 100 such as a digital versatile disk (DVD) player 226.

A television 230 and second VCR 232 coupled to television 230 may be disposed at a second location 212 remote from first location 210. VCR 232 may be coupled to a second cable television system 236 for receiving a cable television programming signal, and to a radio-frequency (RF) antenna 234 for receiving a television programming signal from an airwave broadcast television station 238. In such a configuration, VCR 232 may operate as a tuning device for tuning signals received from cable television provider 236 or airwave broadcast television station 238. A local network 228 may be included in the structure for coupling a remote tuning device such as VCR 232 with information handling system 100 by utilizing a networking architecture and protocol. For example, network 228 may be a home network compliant with a Home Audio/Video Interoperability (HAVi) specification for networking audio and video devices such as a PC-TV (information handling system 100), satellite receiver 220, network interface 222, VCR 224, DVD 226, television 230, VCR 232, etc. In accordance with the present invention, an electronic program guide (EPG) embodied as a set of instructions executed by information handling system 100 may utilize network 228 for incorporating information regarding tuning sources (e.g., television 230, VCR 232) disposed at second location 212 remote from first location 210 at which information handling system 100 is disposed.

Referring now to FIG. 3, an electronic program guide system configured to couple with a network in accordance with the present invention will be discussed. The electronic program guide system 300 may be embodied as a program of instruction executed by information handling system such that information handling system 100 is configured to perform the tasks of electronic program guide system 300. Electronic program guide system 300 includes a program guide 310 for storing and displaying formatted program information on display 114 of information handling system 100. A home network device registry applications programming interface (API) 312 couples with program guide 310. Home network device registry API provides a set of routines and protocols for communicating with a device registry of network 228 for identifying devices coupled to network 228. The device registry of network 228 is a database of device and device configuration information for devices coupled to network 228. A home network function API 314 couples with program guide 310 for controlling functions that are available for controlling devices coupled

to network 228. For example, newer devices added to network 228 may provide control functions that were unavailable for previously existing devices. Home network function API 314 allows program guide 310 to control devices with the newer control functions. A channel map 316 couples with program guide 310 for delineating channels available over network 228 to channels utilized by program guide. For example, if both VCR 224 and VCR 232 utilize channel 4 for tuning, program guide 310 may assign VCR 224 to channel 4 but map channel 4 of VCR 232 to an unused channel in program guide 310 such as channel 8, e.g., as a virtual channel. Channel map 316 thereby stores the associations between virtual channels and actual channels. Actual channel 4 of VCR 232 may be selected by selecting virtual channel 8 of program guide 310. Event and service information list manager 318 couples with and is available to program guide 310 for providing program guide with information regarding events occurring on network 228. For example, event and service information manager informs program manager when devices are added to or removed from network 318. Tuning services routines 320 couple with program guide 310 for controlling the tuning of devices connected to network 228. Home networking device Program and System Information Protocol (PSIP) API 322 couples with tuning services 320 for providing information on communicating over network 228 using the Program and System Information Protocol that specifies how digital television (DTV) signals are transmitted via network 228. A local device control API 324 couples to tuning services 320 for controlling devices directly coupled with information handling system, while a home networking device control API 326 couples with tuning services 320 for controlling devices coupled to information handling system 100 over network 228. A home networking stream control API 328 couples with tuning services 320 routing information between devices coupled to network 228.

Referring now to FIG. 4, a flow diagram of a method for utilizing a program guide in conjunction with a home network will be discussed. The method 400 may be implemented by program guide 310 embodied as a program of instructions executed by information handling system 100. Method 400 initiates with the generating of program guide data by program guide 310 at step 410. Program guide 310 may generate program guide data, for example, based upon tuning devices such as satellite

receiver 220, network interface device 222, VCR 224, DVD player 226, etc. that are directly connected to information handling system 100. Program guide 310 searches at step 412 for devices coupled to network 228, for example television 230, VCR 232, etc. (In an alternative embodiment, the devices can announce themselves and their capabilities to the network in an active, rather than passive, approach.) Devices coupled to network 228 are then identified at step 414, for example by examining a registry of network 228 with home network device registry API 312. A determination is made at step 416 whether a device in question coupled to network 228 is an available tuning source, i.e., is capable of providing content, or is a potential source of programming material, such as through live feeds (including satellite or cable feeds) or through a fixed medium (such as a videotape or DVD). The determination made at step 416 may be made, for example, based upon information in the registry of network 228 obtained via home network device registry API 312. In the event that the device in question is not a tuning source, devices coupled to network are continued to be identified at step 414. For example, method 400 may continue with device identifying step 414 as devices are added to network 228 by examining event and service information 318. In the event the device in question is a tuning source, the device is added to the program guide data as an available tuning source 418. When a device is added to program guide data, the device is accessible by a user of information handling system 100 via program guide 310 such that the device may be selected via program guide 310, and a signal tuned by the device may be received by information handling system 100 such that information encoded in the signal may be reproduced on display 114. For example, while a user is watching a program received by satellite receiver and displayed on display 114, the user could select to view a signal received by VCR 232 from antenna 234 by also simultaneously displaying the signal on display 114 e.g., using a picture-in-picture display mode. A device coupled to network 228 may be incorporated as a channel of program guide 310 such that a signal tuned by the device may be selected when the user selects the incorporated channel.

A determination is made at step 420 whether a tuned channel of the tuning device in question is already in use by the program guide 310. For example, VCR 232 may be tuned to channel 4 for viewing of a tape, but VCR 224 may also tuned to

channel 4 for viewing of a tape, and the program guide 310 already has channel 4 assigned to VCR 224. In the event the tuned channel of the tuning device in question conflicts with a channel of program guide 310, the tuned channel of the tuning device in question may be mapped at step 422 to a virtual channel in channel map 316. If a tuned channel of the tuning device in question does not conflict with a channel of program guide 310, the actual channel of the tuning device is mapped to a corresponding channel of program guide 310 in step 424. After a tuning device coupled to network 228 is incorporated into program guide 310, the device may be controlled at step 426 via network 426 with program guide 310.

Although the invention has been described with a certain degree of particularity, it should be recognized that elements thereof may be altered by persons skilled in the art without departing from the spirit and scope of the invention. One of the embodiments of the invention can be implemented as sets of instructions resident in the main memory 104 of one or more computer systems configured generally as described in FIG. 1. Until required by the computer system, the set of instructions may be stored in another computer readable memory, such as auxiliary memory 106 of FIG. 1, which can be implemented as a hard disk drive, or as a removable memory such as an optical disk for utilization in a CD-ROM drive, or a floppy disk for utilization in a floppy disk drive, or a floptical disk for utilization in a floptical drive, or a personal computer memory card for utilization in a personal computer card slot. Further, the set of instructions can be stored in the memory of another computer and transmitted over a local area network or a wide area network, such as the Internet, when desired by the user. Additionally, the instructions may be transmitted over a network in the form of an applet (a program executed from within another application) or a servlet (an applet executed by a server) that is interpreted or compiled after transmission to the computer system rather than prior to transmission. One skilled in the art would appreciate that the physical storage of the sets of instructions or applets physically changes the medium upon which it is stored electrically, magnetically, chemically, physically, optically or holographically so that the medium carries computer readable information.

It is believed that the electronic program guide utilizing multiple tuning sources of the present invention and many of its attendant advantages will be

understood by the forgoing description, and it will be apparent that various changes may be made in the form, construction and arrangement of the components thereof without departing from the scope and spirit of the invention or without sacrificing all of its material advantages, the form herein before described being merely an explanatory embodiment thereof. It is the intention of the following claims to encompass and include such changes.

660260 "42630460

CLAIMS

What is claimed is:

- 1 1. An information handling system, comprising:
2 a processor for executing a program of instructions on the information
3 handling system; and
4 a memory coupled to said processor for storing a program of instructions
5 executable by said processor, said program of instructions capable of presenting a
6 program guide, storable in said memory and executable by said processor, and
7 capable of enabling the information handling system to communicate with a device
8 coupled to said information handling system via a network such that information
9 encoded in a signal made available by the device may be received and processed by
10 the information handling system.
- 1 2. The information handling system as claimed in claim 1, further comprising a
2 display coupled to the information handling system for displaying the program guide.
- 1 3. The information handling system as claimed in claim 1, further comprising a
2 display coupled to the information handling system for displaying the information
3 encoded in a signal made available by the device.
- 1 4. The information handling system as claimed in claim 1, wherein capabilities
2 of said device to provide content to said display via the information handling system
3 are incorporated into the program guide such that said device may be utilized by the
4 information handling system.
- 1 5. The information handling system as claimed in claim 1, wherein the
2 availability of said device is capable of being incorporated into the program guide
3 such that content from said device may be accessed via a distinct channel of the
4 program guide.

- 1 6. An information handling system, comprising:
2 means for executing a program of instructions on the information handling
3 system; and
4 means, coupled to said executing means, for storing a program of instructions
5 executable by said executing means, said program of instructions capable of
6 presenting a program organizing means, storable in said storing means and executable
7 by said executing means, and capable of enabling the information handling system to
8 communicate with a device coupled to said information handling system via means
9 for coupling electronic devices such that information encoded in a signal made
10 available by the device may be received and processed by the information handling
11 system.
- 1 7. The information handling system as claimed in claim 6, further comprising
2 means for displaying information coupled to the information handling system for
3 displaying said program organizing means.
- 1 8. The information handling system as claimed in claim 6, further comprising
2 means for displaying information coupled to the information handling system for
3 displaying the information encoded in a signal made available by the device.
- 1 9. The information handling system as claimed in claim 6, wherein capabilities
2 of said device to provide content to said display means via the information handling
3 system are incorporated into the program organizing means such that said device may
4 be utilized by the information handling system.
- 1 10. The information handling system as claimed in claim 6, wherein the
2 availability of said device is capable of being incorporated into said program
3 organizing means such that content from said device may be accessed via a distinct
4 channel of the program organizing means.

1 11. A method for utilizing a program guide with an information handling system,
2 comprising the following steps:
3 generating program guide data for programming information available from a
4 first device coupled to the information handling system;
5 monitoring for the presence of additional devices coupled to the information
6 handling system via a network;
7 identifying at least one device coupled to the information handling system;
8 determining whether the identified device is capable of being utilized as a
9 program source; and
10 in the event the identified device is determined to be capable of being utilized
11 as a program source, adding access to such program source via the device to the
12 program guide.

1 12. The method as claimed in claim 11, further comprising the step of enabling
2 control of the device via the program guide.

1 13. The method as claimed in claim 11, further comprising the following steps:
2 determining whether a channel of the identified device conflicts with a
3 channel of the program guide,
4 in the event it is determined that a channel of the identified device conflicts
5 with a channel of the program guide, mapping the channel of the identified device to a
6 virtual channel on the program guide, and
7 otherwise mapping the channel of the identified device to an actual channel of
8 the program guide.

1 14. The method as claimed in claim 11, further comprising the step of displaying a
2 program received from the identified device on a display coupled to the information
3 handling system.

1 15. The method as claimed in claim 11, further comprising the step of
2 simultaneously receiving a program from the first device and the identified device at
3 the information handling system.

1 16. The method as claimed in claim 11, further comprising the step of
2 simultaneously displaying a program received from the first device and the identified
3 device on a display coupled to the information handling system.

1 17. The method as claimed in claim 11, said identifying step including the step of
2 obtaining device information from a registry of the network.

1 18. The method as claimed in claim 11, said step of determining whether the
2 identified device is capable of being utilized as a program source including the step of
3 obtaining device information from a registry of the network.

1 19. The method as claimed in claim 11, further comprising the step of, in the event
2 it is determined that the identified device is capable of being utilized as a program
3 source, continuing the method with said identifying step for additional devices that
4 may be available to the network.

1 20. The method as claimed in claim 12, said controlling step including the step of
2 tuning to a program signal generated by the identified device via the program guide.

1 21. The method as claimed in claim 11, said monitoring step including the step of
2 enabling the information handling system to search for the presence of additional
3 devices.

1 22. The method as claimed in claim 11, said monitoring step including the step of
2 enabling at least one additional device to notify the information handling system of
3 said at least one additional device's presence.

1 23. A program of instructions storable on a medium readable by an information
2 handling system for causing the information handling system to execute steps for
3 utilizing a program guide on the information handling system, the steps comprising:
4 generating program guide data for programming information available from a
5 first device coupled the information handling system;
6 monitoring for the presence of additional devices coupled to a network to
7 which the information handling system is coupled;
8 identifying at least one device coupled to the network;
9 determining whether the identified device is capable of being utilized as a
10 program source; and
11 in the event the identified device is determined to be capable of being utilized
12 as a program source, adding the device to the program guide.

1 24. The program of instructions as claimed in claim 23, further comprising the
2 step of enabling control of the device via the program guide.

1 25. The program of instructions as claimed in claim 23, further comprising the
2 following steps:
3 determining whether a channel of the identified device conflicts with a
4 channel of the program guide,
5 in the event it is determined that a channel of the identified device conflicts
6 with a channel of the program guide, mapping the channel of the identified device to a
7 virtual channel on the program guide, and

8 otherwise mapping the channel of the identified device to an actual channel of
9 the program guide.

1 26. The program of instructions as claimed in claim 23, further comprising the
2 step of displaying a program received from the identified device on a display coupled
3 to the information handling system.

1 27. The program of instructions as claimed in claim 23, further comprising the
2 step of simultaneously receiving a program from the first device and the identified
3 device at the information handling system.

1 28. The program of instructions as claimed in claim 23, further comprising the
2 step of simultaneously displaying a program received from the first device and the
3 identified device on a display coupled to the information handling system.

1 29. The program of instructions as claimed in claim 23, said identifying step
2 including the step of obtaining device information from a registry of the network.

1 30. The program of instructions as claimed in claim 23, said step of determining
2 whether the identified device is capable of being utilized as a program source
3 including the step of obtaining device information from a registry of the network.

1 31. The program of instructions as claimed in claim 23, further comprising the
2 step of, in the event it is determined that the identified device is capable of being
3 utilized as a program source, continuing the method with said identifying step for
4 additional devices that may be available to the network.

1 32. The program of instructions as claimed in claim 24, said controlling step
2 including the step of tuning to a program signal generated by the identified device via
3 the program guide.

1 33. The program of instructions as claimed in claim 23, said monitoring step
2 including the step of enabling the information handling system to search for the
3 presence of additional devices.

1 34. The program of instructions as claimed in claim 23, said monitoring step
2 including the step of enabling at least one additional device to notify the information
3 handling system of said at least one additional device's presence.

660660"42630450

ELECTRONIC PROGRAM GUIDE UTILIZING MULTIPLE TUNING SOURCES

ABSTRACT

- 5 A system, software and method capable of communicating with a device coupled to the system via a network such that the tuning capabilities of the device can be made available for access and control via the system's program guide through placement of the device's tuning capabilities as a channel selection on the system's program guide.

660860-42680460




FIG. 1




FIG. 2




FIG. 3




FIG. 4

DECLARATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Electronic Program Guide Utilizing Multiple Tuning Sources,

the specification of which

(Check One): X is attached hereto.
 was filed on _____ as

Application Serial No. _____

and was amended on (if applicable) _____

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 printed on the reverse side of this Declaration. I hereby claim foreign priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Application No.	Country	Date of Filing	Priority Claimed	
			Yes	No
None				

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

Application No.	Date of Filing	Status-Patented, Pending or Abandoned
None		

660660 42680450

APPLICABLE STATUTES & RULES

37 CFR 1.56: DUTY TO DISCLOSE INFORMATION MATERIAL TO PATENTABILITY.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by ss 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
 - (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are
- (1) Each inventor named in the application,
 - (2) Each attorney or agent who prepares or prosecutes the application, and
 - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor

35 U.S.C. 102: CONDITIONS FOR PATENTABILITY; NOVELTY AND LOSS OF RIGHT TO PATENT

A person shall be entitled to a patent unless--

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for patent, or
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of the application for patent in the United States, or
- (c) he has abandoned the invention, or
- (d) the invention was first patented or caused to be patented, or was the subject of an inventor's certificate, by the applicant or his legal representatives or assigns in a foreign country prior to the date of the application for patent in this country on an application for patent or inventor's certificate filed more than twelve months before the filing of the application in the United States, or
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent, or
- (f) he did not himself invent the subject matter sought to be patented, or
- (g) before the applicant's invention thereof the invention was made in this country by another who had not abandoned, suppressed, or concealed it. In determining priority of invention there shall be considered not only the respective dates of conception and reduction to practice of the invention, but also the reasonable diligence of one who was first to conceive and last to reduce to practice, from a time prior to conception by the other

35 U.S.C. 103: CONDITIONS FOR PATENTABILITY; NON-OBVIOUS SUBJECT MATTER

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negative by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as prior art only under subsection (f) or (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

35 U.S.C. 119: BENEFIT OF EARLIER FILING DATE IN FOREIGN COUNTRY; RIGHT OF PRIORITY (Applicable Portion)

An application for patent for an invention filed in this country by any person who has, or whose legal representatives or assigns have, previously regularly filed an application for a patent for the same invention in a foreign country which affords similar privileges in the case of applications filed in the United States or to citizens of the United States, shall have the same effect as the same application would have if filed in this country on the date on which the application for patent for the same invention was first filed in such foreign country, if the application in this country is filed within twelve months from the earliest date on which such foreign application was filed, but no patent shall be granted on any application for a patent for an invention which has been patented or described in a printed publication in any country more than one year before the date of the actual filing of the application in this country, or which had been in public use or on sale in this country more than one year prior to such filing.

35 U.S.C. 120: BENEFIT OF EARLIER FILING DATE IN THE UNITED STATES

An application for patent for an invention disclosed in the manner provided by the first paragraph of section 112 of this title in an application previously filed in the United States, or as provided by section 363 of this title, by the same invention shall have the same effect, as to such invention, as though filed on the date of the prior application, if filed before the patenting or abandonment of or termination of proceedings on the first application or on an application similarly entitled to the benefit of the filing date of the first application and if it contains or is amended to contain a specific reference to the earlier filed application.

35 U.S.C. 112: SPECIFICATION (Applicable Portion)

The Specification shall contain a written description of the invention, and of the making and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make the use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The specification shall conclude with one or more claims particularly pointing out and distinctive claiming the subject matter which the applicant regards as his invention.

660650 "42630460

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SIGNATURE(S)

Full name of **first inventor**: Theodore David Wugofski

Inventor's signature Theodore David Wugofski

Date 21 SEP 99 Country of Citizenship USA

Residence Fort Worth, Texas

Post Office Address 4828 Overton Hollow, Fort Worth, Texas 76109

Full name of **second joint inventor**

Inventor's signature _____

Date _____ Country of Citizenship _____

Residence _____

Post Office Address _____

Full name of **third joint inventor**

Inventor's signature _____

Date _____ Country of Citizenship _____

Residence _____

Post Office Address _____

660660 42680460

POWER OF ATTORNEYSPOTWARE TECHNOLOGIES, INC., Assignee(s) of the application for United States Letters Patent forElectronic Program Guide Utilizing Multiple Tuning Sources


(Title)

by Theodore David Wugofski
(Inventors)X executed on the date(s) as indicated on the corresponding Declaration and Assignment therein,
or having Serial No. , filed ,

a copy of the Assignment of which is attached hereto, do(es) hereby appoint as attorneys of record with full power of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Mark S. Walker, Reg. No. 30,669
Anthony Claiborne, Reg. No. 39,636
Joseph H. Lee, Reg. No. 37,664
Sean P. Suiter, Reg. No. 34,260
Scott C. Rand, Reg. No. 40,359
Kenneth J. Cool, Reg. No. 40,570
Kevin E. West, Reg. No. 43,983Address correspondence to: **Suiter & Associates, P.C.**
Attention: **Kenneth J. Cool**
11516 Nicholas Street, Suite 205
Omaha, Nebraska 68154-4409
Telephone: (402) 496-0300
Facsimile: (402) 496-0333

I, the undersigned, declare that I am empowered to execute this Power of Attorney on behalf of the Assignee. The above-identified Assignee is the owner of this application by reason of an assignment being filed with the Patent Office for recordation concurrently herewith. In accordance with 37 CFR § 3.373(b), I certify that I have reviewed all documents in the chain of title, and to the best of my knowledge, all right, title, and interest is in the above-identified Assignee, and I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full Name of Assignee	SPOTWARE TECHNOLOGIES, INC.	
Post Office Address	4545 Towne Centre Court, San Diego, CA 92121-3030	
Signature of Declarant or Assignee		Date 9.27.99

Full Name of Declarant If Other Than Assignee	Mark S. Walker, Reg. No. 30,669
Title of Declarant	Assistant Secretary
Address of Declarant	4545 Towne Centre Court, San Diego, CA 92121-3030

650660"42630460